International Astronomical Union
Commission 42

BIBLIOGRAPHY AND PROGRAM NOTES ON CLOSE BINARIES

No. 63

Material published by September 15, 1996

BPN issues are available via URL:
http://www.sternwarte.uni-erlangen.de/ftp/bpn
or via anonymous ftp from:
ftp://www.sternwarte.uni-erlangen.de/pub/bpn

The bibliographical entries for *Individual Stars* and *Collections of Data* are categorized according to the following coding scheme:

1. Observational data
- a. Photometry
- b. Spectroscopy
- c. Spectrophotometry
- d. Polarimetry
- e. Astrometry, interferometry
- f. Times of minima
- g. Gamma-ray data
- i. Infrared data
- o. Optical data
- p. Photographic data
- r. Radio data
- u. Ultraviolet data
- v. Visual estimates
- x. X-ray data

2. Derived physical data
- a. Orbital elements
- b. Absolute dimensions, masses
- c. New or improved ephemeris, period variations
- d. Apsidal motion
- e. Physical properties of stellar atmospheres
- f. Chemical abundances
- g. Accretion disks and accretion phenomena

3. Catalogues, discoveries, charts
- a. Catalogues
- b. Discoveries of new binaries and novae
- c. Identification of optical counterparts of X-ray, IR, or radio sources
- d. Finding charts

4. Observational techniques

5. Theoretical investigations

6. Statistical investigations

7. Miscellaneous
- a. Abstract
- b. Addenda or errata

Abbreviations:

AD	accretion disk	EB	eclipsing binary	RV	radial velocity
BH	black hole	HMXB	high-mass X-ray binary	SB	spectroscopic binary
CB	close binary	LMXB	low-mass X-ray binary	WD	white dwarf
CV	cataclysmic variable	NS	neutron star	WR	Wolf-Rayet

Individual Stars

λ And	*Glebocki, R., Sikorski, J.* 1996, Acta Astron. 46, 335. (1aobu, 2e)
EG And	*Bastos Pereira, C.* 1996, Ap&SS 235, 305. (1u) *Tomov, N., Tomova, M.* 1996, IBVS 4341. (1a) Orbital light variations.
UU Aqr	*Baptista, R., Steiner, J.E., Horne, K.* 1996, MNRAS 282, 99. (1ao, 2g)
AE Aqr	*Bastian, T.S., Beasley, A.J., Bookbinder, J.A.* 1996, ApJ 461, 1016. (1r) No evidence of coherent radio pulsations. *Beskrovnaya, N.G. et al.* (4 authors) 1996, A&A 307, 840. (1ad) Flaring activity. *Casares, J. et al.* (4 authors) 1996, MNRAS 282, 182. (1bo, 2ab)
FF Aqr	*Singh, K.P. et al.* (4 authors) 1996, AJ 112, 221. (1bx, 2ef)
CI Aql	*Greiner, J., Alcala, J.M., Wenzel, W.* 1996, IBVS 4338. (1b)
KO Aql	*Mader, J.A., Angione, R.J.* 1996, PASP 108, 404. (1a, 2ab)
V417 Aql	*Pauley, B. et al.* (4 authors) 1996, IBVS 4358. (1af, 2c, 3d)
V1333 Aql	1996, IAU Circ. 6416. (1a) New activity cycle.
TT Ari	*Tremko, J. et al.* (9 authors) 1996, A&A 312, 121. (1a, 2c) Periodic and aperiodic variations in CV.
UX Ari	*Montes, D. et al.* (4 authors) 1996, A&A 310, L29. (1b, 2e) Flare of RS CVn system. *Padmakar, Pandey, S.K.* 1996, Ap&SS 235, 341. (1a)
XY Ari	*Allan, A., Hellier, C., Ramseyer, T.F.* 1996, MNRAS 282, 699. (1ai, 2ac)
α Aur	*Cha, G. et al.* (4 authors) 1996, PASP 108, 594. (1c) Hα and Ca II K profile variations.
ϵ Aur	*Lissauer, J. et al.* (4 authors) 1996, ApJ 465, 371. Secondary modeled as thin circumstellar or circumbinary disk. (1a, 2ag)
ζ Aur	*Baade, R. et al.* (7 authors) 1996, ApJ 466, 979. Wind model. (1bu)
KR Aur	*Antov, A.P. et al.* (6 authors) 1996, IBVS 4315. (1a) Deep minimum of CV.
TU Boo	*Niarchos, P.G., Hoffmann, M., Duerbeck, H.W.* 1996, A&AS 117, 105. (1a, 2abc) An ambiguous W UMa system.
UZ Boo	*Kuulkers, E., Howell, S.B., van Paradijs, J.* 1996, ApJ 462, L87. (1x, 2d) Connection between soft X-ray transients and tremendous outburst dwarf novae.
RX Cam	*Imbert, M.* 1996, A&AS 116, 497. (1b, 2abc) Cepheid component.
AS Cam	*Wolf, M., Šarounová, L., Diethelm, R.* 1996, A&AS 116, 463. (1af, 2cd) Apsidal motion.
BY Cam	*Kallman, T.R. et al.* (4 authors) 1996, ApJ 466, 973. (1x) *Mason, P.A., Fisher, P.L., Chanmugan, G.* 1996, A&A 310, 132. (1r, 2g) Radio emission of magnetic CV.
BZ Cam	*Patterson, J. et al.* (6 authors) 1996, AJ 111, 2422. (1ab, 2a)
81 Cnc (Fin 347 Aa)	*Mason, B.D., McAlister, H.A., Hartkopf, W.I.* 1996, AJ 112, 276. (1e, 2ab)
ZZ Cnc	*Berthold, T.* 1996, IBVS 4308. (1a, 2c, 3d)
AD CMi	*Jian-Ning, F., Shi-Yang, J.* 1996, IBVS 4325. (1f) δ Scu star in a binary system?

BG CMi	*Garlick, M.A.* 1996, MNRAS 279, 1101. (1b) Rotational disturbance. *Pych, W. et al.* (4 authors) 1996, Acta Astron. 46, 279. (1ao, 2c)
OY Car	*Billington, I. et al.* (8 authors) 1996, MNRAS 279, 1274. (1bu, 2g) *Harlaftis, E.T., Marsh, T.R.* 1996, A&A 308, 97. (1b) Detection of secondary in CV.
V558 Cas	*Vandenbroere, J.* 1996, IBVS 4320. (1a, 2c)
V635 Cas	1996, IAU Circ. 6468. (1v) Outburst.
Nova Cas 1995	1996, IAU Circ. 6358. (1v) 1996, IAU Circ. 6365. (1b) 1996, IAU Circ. 6428. (1v)
V485 Cen	*Augusteijn, T. et al.* (4 authors) 1996, A&A 311, 889. (1ab, 2abcg) Dwarf nova with 59 minute orbital period.
V676 Cen	*Gray, J.D., Woissol, S., Samec, R.G.* 1996, IBVS 4359. (1af, 2c, 3d)
VW Cep	*Frasca, A., Sanfilippo, D., Catalano, S.* 1996. A&A 313, 532. (1b) Evidence for mass flow.
WW Cep	*Ringwald, F.A. et al.* (4 authors) 1996, AJ 111, 2077. (1b, 2a) Revised period.
ER Cep	*Branly, R.M. et al.* (5 authors) 1996, IBVS 4374. (1af, 2c)
PX Cep	*Heerlein, C.* 1996, IBVS 4373. (1f, 2c, 3d)
Z Cha	*Bocksch, R., La Dous, C., Ruder, H.* 1996, AG Abstr. Ser. 12, 31. (2g, 5) Synthetic eclipse light curves of dwarf nova in quiescence. *Bruch, A.* 1996, A&A 312, 97. (1f, 2eg) Flickering in CV.
AL Com	*Howell, S.B. et al.* (8 authors) 1996, AJ 111, 2367. (1a, 2g) *Kuulkers, E., Howell, S.B., van Paradijs, J.* 1996, ApJ 462, L87. (1x, 2d) Connection between soft X-ray transients and tremendous outburst dwarf novae. *Patterson, J. et al.* (6 authors) 1996, PASP 108, 748. (1ab, 2ac) Superhump in CV. *Szkody, P. et al.* (7 authors) 1996, AJ 111, 2379. (1bou)
S10932 Com	*Kroll, P., Richter, G.A.* 1996, AG Abstr. Ser. 12, 35. (1bp)
γ CrA	*Lehmann,H., Scholz, G., Hildebrandt, G.* 1996, A&A 312, 508. (1b) Irregular RV variations of Maia candidate.
TY CrA	*Corporon, P., Lagrange, A.M., Beust, H.* 1996, A&A 310, 228. (1b, 2a) Young triple system.
R CrB	1996, IAU Circ. 6429. (1v)
TV Crv	*Howell, S.B. et al.* (5 authors) 1996, MNRAS 282, 623. (1ao, 2abc)
W Crv	*Odell, A.P.* 1996, MNRAS 282, 373, (1ao, 2abc)
W Cru	*Zola, S.* 1996, A&A 308, 785. (2abg) Model of EB with AD.
Nova Cru 1996	1996, IAU Circ. 6463. (3b) 1996, IAU Circ. 6466. (1v) Rapid fading. 1996, IAU Circ. 6468. (1ar)
SS Cyg	*Martínez-Pais, I.G. et al.* (4 authors) 1996, A&A 308, 833. (1b, 2g) Outbursts in CV. *Mauche, C.W.* (5 authors) 1996, ApJ 463, L87. (1au) EUVE observations. *Steeghs, D. et al.* (4 authors) 1996, MNRAS 281, 626. (1bd, 2g)
WZ Cyg	*Rovithis, P., Rovithis-Livaniou, H., Kranidiotis, A.* 1996, IBVS 4309. (1a, 2c)

CG Cyg	1996, IAU Circ. 6426. (1v) Fading variable.
	Heckert, P.A. 1996, IBVS 4371. (1a, 2a) Spot model of RS CVn-type star.
CH Cyg	*Mikolajewski, M. et al.* (4 authors) 1996, IBVS 4368. (1af, 2c)
	Munari, U. et al. (4 authors) 1996, A&A 311, 484. (1afio) Doubts on triple star model.
	Skopal, A. et al. (4 authors) 1996, A&A 308, L9. (1abou, 2e)
	Skopal, A. et al. (17 authors) 1996, MNRAS 282, 327. (1aobour, 2g)
CI Cyg	*Godon, P.* 1996, ApJ 462, 456. (2d) AD boundary models for AX Per and CI Cyg.
CV Cyg	*Vinkó, J., Hegedüs, T., Hendry, P.D.* 1996, MNRAS 280, 489. (1ao, 2a)
MW Cyg	*Imbert, M.* 1996, A&AS 116, 497. (1b, 2abc) Cepheid component.
V404 Cyg	*Oosterbroek, T. et al.* (11 authors) 1996, A&A 309, 781. (1bx, 2efg) Optical counterpart of GS2023+338, a LMXB and BH candidate.
	Pavlenko, E.P. et al. (5 authors) 1996, MNRAS 281, 1094. (1ao, 2c)
	Radons, G. 1996, SuW 35, 534. General remarks.
	Sanwal, D. et al. (8 authors) 1996, ApJ 460, 437. (1i, 2a) H-band observations and an upper limit to the mass of the BH component.
V541 Cyg	*Guinan, E.F., Maley, J.A., Marshall, J.J..* 1996, IBVS 4362. (1a, 2a) Eccentric EB as test of general relativity.
V628 Cyg	*Agerer, F., Kleikamp, W., Moschner, W.* 1996, IBVS 4381. (1af, 2c)
V1016 Cyg	*Schild, H., Schmid, H.M.* 1996, A&A 310, 211. (1bd, 2aeg) Properties of symbiotic star.
V1143 Cyg	*Burns, J.F., Guinan, E.F., Marshall, J.J.* 1996, IBVS 4363. (1a, 2ad)
V1500 Cyg	*Friedjung, M., Mikolajewska, J., Mikolajewski, M.* 1996, A&A 310, 477. (1b) Absorption line profiles in AM Her-type star.
V1974 Cyg	1996, IAU Circ. 6441. (1a) Detection of nebulosity.
(Nova Cyg 1992)	*Olech, A. et al.* (7 authors) 1996, Acta Astron. 46, 311. (1ao, 2c)
	Wagner, R.M., DePoy, D.L. 1996, ApJ 467, 860. (1bi)
AA Dor	*Hilditch, R.W. Harries, T.J., Hill, G.* 1996, MNRAS 279, 1380. (1bo, 2ab)
AG Dra	*Montagni, F. et al.* (6 authors) 1996, IBVS 4336. (1a) Active phase of symbiotic star.
CM Dra	1996, IAU Circ. 6423. (1a) Search for planets.
	1996, IAU Circ. 6425. (1a) Search for planets.
CX Dra	*Simon, V.* 1996, A&A 308, 799 (1b, 2abg) Algol-type SB with mass transfer.
BL Eri	*Qingyao Liu et al.* (8 authors) 1996, A&AS 118, 453. (1af, 2ac) W UMa system with spotted components.
EF Eri	*Ferrario, L., Bailey, J., Wickramasinghe, D.* 1996, MNRAS 282, 218. (1bi, 2g)
UZ For	*Rousseau, T. et al.* (4 authors) 1996, A&A 310, 526. (2g, 5) Mass flow rates in AM Her binaries.
	Stockman, H.S., Schmidt, G.D. 1996, ApJ 468, 883. Models of accretion streams.
AW Gem	*Kato, T.* 1996, PASJ 48, 777. (1a) Superhumps during the 1995 October superoutburst.
DN Gem	1996, IAU Circ. 6431. (1a)

AM Her	*Davey, S.C., Smith, R.C.* 1996, MNRAS 280, 481. (1bo, 2a) *Silber, A.D. et al.* (6 authors) 1996, ApJ 460, 939. (1abou) Temperatures, $\log g$, and magnetic field strength inferred from observations.
DQ Her	*Silber, A.D. et al.* (4 authors) 1996, ApJ 462, 428. (1bu) UV spectroscopy of CV. *Silber, A.D. et al.* (4 authors) 1996, AJ 112, 1174. (1bu, 2e)
V443 Her	*Skopal, A.* 1996, Ap&SS 238, 285.
V838 Her	*Vanlandingham, K.M. et al.* (5 authors) 1996, MNRAS 282, 563. (1bou, 2f)
CT Hya	*Nogami, D., Kato, T., Hirata, R.* 1996, PASJ 48, 607. (1a) A large-amplitude SU UMa star.
VW Hyi	*Huang, M. et al.* (5 authors) 1996, AJ 111, 2386. (1bu, 2efg) *Knox, S.L., Blair, W.P., Hubeny, I.* 1996, ApJ 466, 964. (1bu, 2g) *Wheatley, P.J. et al.* (8 authors) 1996, A&A 307, 137. (1bx, 2g) Dwarf nova in outburst and quiescence.
BL Hyi	*Ferrario, L., Bailey, J., Wickramasinghe, D.* 1996, MNRAS 282, 218. (1bi, 2g)
Z Lac	*Imbert, M.* 1996, A&AS 116, 497. (1b, 2abc) Cepheid component.
SS Lac	1996, IAU Circ. 6429. (1b) Detection of double-lined spectra. 1996, IAU Circ. 6433. (1b) Double-lined spectra. 1996, IAU Circ. 6428. (1b) RV difference.
AR Lac	*Christian, D.J. et al.* (5 authors) 1996, AJ 112, 751. (1au, 2e)
TU Leo	*Schmadel, L.D., Schmeer, P., Börngen, F.* 1996, A&A 312, 496. (3d) Non-existence of an U Gem star.
UV Leo	*Frederik, M.C.G., Etzel, P.B.* 1996, AJ 111, 2081. (1a, 2abe)
VZ Leo	*Vinkó, J., Hegedüs, T., Hendry, P.D.* 1996, MNRAS 280, 489. (1ao, 2a)
ST LMi	*Shahbaz, T., Wood, J.H.* 1996, MNRAS 282, 362. (1bo, 2ab) *Stockman, H.S., Schmidt, G.D.* 1996, ApJ 468, 883. Models of accretion streams.
β Lyr	*Harmanec, P. et al.* (17 authors) 1996, A&A 312, 879. (1abe, 2g) Jet-like structures.
V694 Mon	*Tomov, T. et al.* (14 authors) 1996, A&AS 116, 1. (1av) Flickering activity.
SY Mus	*Harris, T.J., Howarth, I.D.* 1996, A&A 310, 235. (1bd, 2a, 5) Polarimetric determination of orbital elements.
GQ Mus (Nova Mus 1983)	*Morisset C., Péquignot, D.* 1996, A&A 313, 611. (2e, 5) Models for evolution of post-nova.
GU Mus (Nova Mus 1991)	*King, N.L., Harrison, T.E., McNamara, B.J.* 1996, AJ 111, 1675. (1a, 2e) X-ray nova. *O'Donoghue, D., Charles, P.A.* 1996, MNRAS 282, 191. (1ao, 2c) Superhumps. *Orosz, J.A. et al.* (4 authors) 1996, ApJ 468, 380. (1ab, 2abc) Improved parameters.
QX Nor	1996, IAU Circ. 6422. (1a) Reappearance of continuum.
RS Oph	*Dobrzycka, D. et al.* (5 authors) 1996, AJ 111, 2090. (1cou, 2ef)
V2301 Oph (1H1752+081)	*Barwig, H.* 1996, SuW 35, 629. (1abo, 2abg) High-speed photometry, analysis of eclipse light curves and spectra of AM Her-type system.

	Szkody, P., Silber, A.D. 1996, AJ 112, 289. (1bu, 2fg)
η Ori A	*De Mey, K. et al.* (4 authors) 1996, A&A 310, 164. (1b, 2ab) Non-radial pulsation mode in component Ab.
BF Pav	*González, J.F. et al.* (4 authors) 1996, PASP 108, 338. (1a, 2a) W UMa system with mass transfer.
HY Pav	*Lapasset, E., Gómez, M., Fariñas, R.* 1996, PASP 108, 332. (1a, 2ge) Photometric analysis of W UMa system.
51 Peg	*Lin, D.N.C., Bodenheimer, P., Richardson, D.C.* 1996, Nature 380, 606. Inward migration of recently discovered planet?
AM Peg	*Padmakar, Pandey, S.K.* 1996, Ap&SS 235, 341. (1a)
IP Peg	*Steeghs, D. et al.* (4 authors) 1996, MNRAS 281, 626. (1bd, 2g)
β Per (Algol)	*Ottmann, R., Schmitt, J.H.M.M.* 1996, A&A 307, 813. (1x, 2f) Giant X-ray flare.
AX Per	*Godon, P.* 1996, ApJ 462, 456. (2d) AD boundary models for AX Per and CI Cyg.
GK Per	*Pezzuto, S., Bianchini, A., Stagni, R.* 1996, A&A 312, 865. (1a) Outburst in CV.
IX Per	*Singh, K.P. et al.* (4 authors) 1996, AJ 112, 221. (1bx, 2ef)
V511 Per	*Özdemir, S., Tanriver, M.* 1996, IBVS 4327. (1a, 2ac)
V518 Per	*King, N.L., Harrison, T.E., McNamara, B.J.* 1996, AJ 111, 1675. (1a, 2e) X-ray nova.
	O'Donoghue, D., Charles, P.A. 1996, MNRAS 282, 191. (1ao, 2c) Superhumps.
UV Psc	*Qingyao Liu et al.* (4 authors) 1996, IBVS 4326. (1c, 2c) Hα flare in EB and SB system.
AO Psc	*Hellier, C. et al.* (4 authors) 1996, MNRAS 280, 877. (1bx, 2g)
AR Psc	*Fekel. F.C.* 1996, AJ 112, 269. (1b, 2af)
ST Pup	*Gonzalez, G., Wallerstein, G.* 1996, MNRAS 280, 515. (1abo, 2aef, 3b)
V347 Pup	*Shlosman, I., Vitello, P., Mauche, C.W.* 1996, ApJ 461, 377. (2abd) Eclipse modeling of CV.
Nova Pup 1991 (V351 Pup)	*Orio, M. et al.* (5 authors) 1996, ApJ 466, 410. (1bc)
TY Pyx	*Neff, J.E. et al.* (7 authors) 1996, A&A 310, 173. (1aborux, 2d) Emission distribution from RS CVn-type EB.
VZ Pyx	*Szkody, P., Silber, A.D.* 1996, AJ 112, 289. (1bu, 2fg)
V Sge	*Simon, V.* 1996, A&AS 118, 421. (1a, 2g) Outbursts of CV between 1932 and 1994.
	Simon, V. 1996, A&A 309, 775. (1af, 2c)
RZ Sge	*Kato, T.* 1996, IBVS 4369. (1a, 3d) Superoutburst of dwarf nova.
FG Sge	1996, IAU Circ. 6393. (1v) Fading variable.
	1996, IAU Circ. 6395. (1v) Fading variable.
WG Sgr	*Albrow, M.D., Cottrell, P.L.* 1996, MNRAS 280, 917. (1bo, 2ac)
Nova Sgr 1996	1996, IAU Circ. 6433. (3b) New slow nova.
	1996, IAU Circ. 6447. (1v)
	1996, IAU Circ. 6450. (1ac)
	1996, IAU Circ. 6453. (1ab)
	1996, IAU Circ. 6454. (1a)

MR Ser	*Shahbaz, T., Wood, J.H.* 1996, MNRAS 282, 362. (1bo, 2ab)
θ^2 Tau	*Kennelly, E.J. et al.* (13 authors) 1996, A&A 313, 571. (1b) Oscillation modes from MUSICOS campaign. *Kennelly, E.J., Walker, G.A.H.* 1996, PASP 108, 327. (1c, 2e) Line profile variations.
GG Tau	*Roddier, C. et al.* (5 authors) 1996, ApJ 463, 326. (1ai, 2ab) Orbital elements and masses, and near-IR detection of the circumbinary ring.
V471 Tau	*Lim, J., White, S.M., Cully, S.C.* 1996, ApJ 461, 1009. (1r, 2b) Radio observations and the magnetic field of the WD component.
V711 Tau	*Padmakar, Pandey, S.K.* 1996, Ap&SS 235, 341. (1a) *Zhai, D.S., Zhang, X.B.* 1996, A&A 309, 530. (1b, 2ae) Hα spectroscopy of RS CVn-type star.
V725 Tau	*Dorokhov, N.I., Dorokhova, T.N.* 1996, IBVS 4357. (1a) Optical outburst of X-ray source.
QS Tel	*Rosen, S.R. et al.* (10 authors) 1996, MNRAS 280, 1121. (1abox, 2g)
EK TrA	*Gänsicke, B.T., Beuermann, K.* 1996, AG Abstr. Ser. 12, 197. (1bu, 2g) WD separated from AD in UV spectra.
CF Tuc	*Kürster, M., Schmitt, J.H.M.M.* 1996, A&A 311, 211. (1x, 2e) X-ray flare of RS CVn-type star.
SS UMa	*Horn, J. et al.* (8 authors) 1996, A&A 309, 521. (1b, 2abcd). Triple system.
VV UMa	*Simon, V.* 1996, A&A 311, 915. (1f, 2c) Cyclic period changes.
DI UMa	*Kato, T., Nogami, D., Baba, H.* 1996, PASJ 48, L93. (1a) An extreme ER UMa-type dwarf nova.
BP Vel	*Lapasset, E., Gómez, M., Fariñas, R.* 1996, PASP 108, 332. (1a, 2ge) Photometric analysis of W UMa system.
CU Vel	*Mennickent, R.E., Diaz, M.* 1996, A&A 309, 147. (1ab, 2abc) CV.
IX Vel	*Ludwig, M.* 1996, AG Abstr. Ser. 12, 36. (1bu, 2c)
KV Vel	*Hilditch, R.W. Harries, T.J., Hill, G.* 1996, MNRAS 279, 1380. (1bo, 2ab)
AW Vir	*Lapasset, E., Gómez, M., Fariñas, R.* 1996, PASP 108, 332. (1a, 2ge) Photometric analysis of W UMa system.
HW Vir	*Hilditch, R.W. Harries, T.J., Hill, G.* 1996, MNRAS 279, 1380. (1bo, 2ab)
22 Vul	*Marshall, K.P.* 1996, MNRAS 280, 977. (1bou, 2e)
U Vul	*Imbert, M.* 1996, A&AS 116, 497. (1b, 2abc) Cepheid component.
PU Vul	*Nussbaumer, H., Vogel, M.* 1996, A&A 307, 470. (1abou, 2bc) Eclipsing symbiotic nova.
PW Vul	*Williams, P.M., Longmore, A.J., Geballe, T.R.* 1996, MNRAS 279, 804. (1bi) Evolution of outburst spectrum.
QZ Vul	*O'Donoghue, D., Charles, P.A.* 1996, MNRAS 282, 191. (1ao, 2c) Superhumps.

HR, HD, HDE, BD, CoD, CPD, SAO Objects

HR 1910	*Hanuschik, R.W. et al.* (5 authors) 1996, A&AS 116, 309. (1b) Emission and shell lines in Be binary.
HR 2142	*Hanuschik, R.W. et al.* (5 authors) 1996, A&AS 116, 309. (1b) Emission and shell lines in Be binary.
HR 2343	*Hanuschik, R.W. et al.* (5 authors) 1996, A&AS 116, 309. (1b) Emission and shell lines in Be binary.
HR 2492	*Sterken, C., Vogt, N., Mennickent, R.E.* 1996, IBVS 4308. (1a) Flickering activity suggests a compact companion in CB.
HR 6000	*van den Ancker, M.E., de Winter, D., Thé, P.S.* 1996, A&A 313, 517. (1ab, 2e) Possible T Tau + B6V binary.
HR 6902	*Marshall, K.P.* 1996, MNRAS 280, 977. (1bou, 2e) *Schröder, K.-P., Marshall, K.P., Griffin, R.E.M.* 1996, A&A 311, 631. (1bo, 2e) Chromosphere of a ζ Aur system.
HR 7428	*Singh, K.P. et al.* (4 authors) 1996, AJ 112, 221. (1bx, 2ef)
HR 7940	*Clayton, G.C.* 1996, PASP 108, 401. (1a) Eclipses confirmed.
HD 50896	*Willis, A.J., Stevens, I.R.* 1996, A&A 310, 577. (1x) No evidence for a compact companion of WR.
HD 98800	*Sonderblom, D.R. et al.* (5 authors) 1996, ApJ 460, 984. (1bo) Lithium abundances, activity levels, rotation rate, and presence of a dusty disk discussed relative to the evolutionary state of the system.
HD 101584	*Bakker, E.J. et al.* (6 authors) 1996, A&A 307, 869. (1abiou) Supergiant with likely WD or MS companion. *Bakker, E.J. et al.* (4 authors) 1996, A&A 310, 861. (1ab, 2c)
HD 112313	*Jasniewicz, G. et al.* (4 authors) 1996, A&A 307, 200. (1abu, 2ef) Central star of PN LoTr5 is CB.
HD 147395	*Carquillat, J.M., Ginestet, N.* 1996, A&AS 117, 445. (1b, 2ac) SB with M giant component.
HD 159176	*Pachoulakis, I.* 1996, MNRAS 280, 153. (1aou, 2ab)
HD 194378	*Kim, S.-L., Lee, S.-W.* 1996, IBVS 4331. (1f, 3b) New EB in open cluster M29.
HD 197406	*Marchenko, S.V. et al.* (4 authors) 1997, ApJ 461, 386. (1abo, 2b) Observations, orbital elements, and ionized wind.
HDE 245770 (A0535+26)	*Hao, J.-X., Huang, L., Guo, Z.H.* 1996, A&A 308, 499. (1ao) Long- and short-term photometric behaviour of HMXB.

X-ray sources with constellation names

Cen X-3	*Ebisawa, K., et al.* (8 authors) 1996, PASJ 48, 425. (1x) ASCA; X-ray spectroscopy over an eclipse; iron K-lines at 6.40 - 6.97 keV.
Cyg X-1	1996, IAU Circ. 6404. (1x) Flare. 1996, IAU Circ. 6405. (1g) Decrease of brightness. 1996, IAU Circ. 6415. (1x) 1996, IAU Circ. 6431. (1x) 1996, IAU Circ. 6439. (1x) High state. 1996, IAU Circ. 6447. (1x) Transition to hard state. 1996, IAU Circ. 6462. (1x) Flares.

	Crary, D.J. et al. (10 authors) 1996, ApJ 462, L71. (1x) Correlation between the hard X-ray spectral slope and the amplitude of variations of the flux.
	Ebisawa, K. et al. (5 authors) 1996, ApJ 467, 419. (1bx, 2g) Fe line structure.
	Maisack, M. et al. (4 authors) 1996, AG Abstr. Ser. 12, 192. (1x, 5)
	Misra, R., Melia, F. 1996, ApJ 467, 405. (5) Layered AD.
	Pottschmidt, K., König, M. 1996, AG Abstr. Ser. 12, 194. Periodogram analysis of X-ray variability.
Cyg X-2	1996, IAU Circ. 6452. (1x) Intensity modulation.
	Kuulkers, E., van der Klis, M., Vaughan, B.A. 1996, A&A 311, 197. (1x, 2g) Secular variations in LMXB.
Cyg X-3	*Fender, R.P., Bell Burnell, S.J.* 1996, A&A 308, 497. (1i, 3d) IR sources around HMXB.
	Leidahl, D.A. Paerels, F. 1996, ApJ 468, L33. (1x)
	Mitra, A. 1996, MNRAS 280, 953. (5) On the mass of the companion.
	Schmutz, W., Geballe, T.R., Schild, H. 1996, A&A 311, L25. (1bi, 2b) Evidence for a BH.
Vel X-1	*Feldmeier, A. et al.* (4 authors) 1996, A&A 311, 793. (5) Models for asymmetric eclipses.

——————————— Object names including RA and DEC

PSR J0045-7319	*Kaspi, V.M. et al.* (5 authors) 1996, Nature 381, 584. Evidence from precessing pulsar orbit for a NS *"birth kick"*.
	Lai, D. 1996, ApJ 466, L35. Fast orbital decay. (5)
RX J0059.2-7138	*Southwell, K.A., Charles, P.A.* 1996, MNRAS 281, L63. (1abo, 3c)
2S 0114+650	*Reig, P. et al.* (8 authors) 1996, A&A 311, 879. (1abio, 2b) Parameters of a HMXB.
4U 0115+634	1996, IAU Circ. 6450. (1x) Pulsations.
	1996, IAU Circ. 6451. (7b)
RX J0132.7-6554	*Burwitz, V. et al.* (4 authors) 1996, AG Abstr. Ser. 12, 44. (1abox, 2cg) Short period polar.
2RE J0241-525	*Jeffries, R.D. et al.* (4 authors) 1996, MNRAS 281, 1001. (1abox, 3b)
PG 0308+096	*Somers, M.W. et al.* (4 authors) 1996, MNRAS 280, 1277. (1ai, 2ab)
GRO J0422+32	*Callanan, P.J. et al.* (6 authors) 1996, ApJ 461, 351. (1aio, 2abd) X-ray nova involving a BH in a low-inclination orbit.
	Chevalier, C., Ilovaisky, S.A. 1996, A&A 312, 105. (1a, 2c)
	Garcia, M.R. et al (4 authors) 1996, ApJ 460, 932. (1bo, 2ab) X-ray nova observed near quiescence.
	Kuulkers, E., Howell, S.B., van Paradijs, J. 1996, ApJ 462, L87. (1x, 2d) Connection between soft X-ray transients and tremendous outburst dwarf novae.
IRAS 04368+2557	*Fuller, G.A., Ladd, E.F., Hodapp, K.-W.* 1996, ApJ 463, L97. Protobinary system possibly formed from fragmentation. (1r)
PSR J0437-4715	*Halpern, J.P., Martin, C., Marshall, H.L.* 1996, ApJ 462, 908. (1x) Soft X-ray observations and models of a pulsar with a WD companion.
	McConnell, D. et al. (4 authors) 1996, MNRAS 280, 331. (1r) Investigation of pulsed emission.

RX J0439.8-6809	*Schmidtke, P.C., Cowley, A.P.* 1996, AJ 112, 167. (1a, 3b) Supersoft X-ray source identified as binary.
H 0459+246	*Szkody, P., Silber, A.D.* 1996, AJ 112, 289. (1bu, 2fg)
RX J0501.6-7034 (CAL 9)	*Schmidtke, P.C. et al.* (7 authors) 1996, PASP 108, 668. (1bu, 2e) IUE observations of LMC Be + X-ray binary.
RX J0502.9-6626 (CAL E)	*Schmidtke, P.C. et al.* (7 authors) 1996, PASP 108, 668. (1bu, 2e) IUE observations of LMC Be + X-ray binary.
RX J0512.2-3241	*Burwitz, V. et al.* (4 authors) 1996, A&A 310, L25. (1abox, 2cg, 3c) CV as optical counterpart of X-ray polar. *Burwitz, V. et al.* (4 authors) 1996, AG Abstr. Ser. 12, 188. (1abox) New intermediate polar.
RX J0513.9-6951	*Alcock, C. et al.* (21 authors) 1996, MNRAS 280, L49 (1ao, 2a) *Meyer-Hofmeister, E., Schandl, S.* 1996, AG Abstr. Ser. 12, 40. (5) Theoretical light curve for heated AD. *Reinsch, K. et al.* (4 authors) 1996, AG Abstr. Ser. 12, 45. (1aox)
RX J0515+105	*Szkody, P., Silber, A.D.* 1996, AJ 112, 289. (1bu, 2fg)
RX J0520.5-6932	*Schmidtke, P.C. et al.* (7 authors) 1996, PASP 108, 668. (1bu, 2e) IUE observations of LMC Be + X-ray binary.
RX J0558+53	*Allan, A. et al.* (7 authors) 1996, MNRAS 279, 1345. (1ao, 2c)
0623+71	*Yuan, J., Li, Z.* 1996, Acta Astron. Sinica 37, 235. (1b)
PSR 0655+64	*Goldman, I., Kustanovich, T.* 1996, ApJ 460, 390. (2c, 5) Limits on long-range scalar and vector fields from binary pulsars.
EUVE J0720-317	*Vennes, S., Thorstensen, J.R.* 1996, AJ 112, 284. (1bc, 2ag)
PSR J1012+5307	*Alberts, F. et al.* (4 authors) 1996, Nature 380, 676. (5) Age of a (ms-pulsar + WD) system. *Kerkwijk, M.H., Bergeron, P. and Kulkarni, S.R.* 1996, ApJ 467, L89. 0.16 solar mass WD + pulsar binary. (1b, 2a)
HS 1136+6646	*Heber, U. Dreizler, S., Hagen, H.-J.* 1996, A&A 311, L17. (1b, 2f, 3b) New SB with WD component.
RE J1255+266	*Watson, M.G. et al.* (8 authors) 1996, MNRAS 281, 1016. (1aboir, 3c)
PSR B1259-63 (SS 2883)	*Johnston, S. et al.* (7 authors) 1996, MNRAS 279, 1026. (1r, 2g)
2S 1417-624	1996, IAU Circ. 6432. (1x) Resumed activity.
J1518-4904	*Nice, D.J., Sayer, R.W., Taylor, J.H.* 1996, ApJ 466, L87. Analysis gives characteristic age of 16 Gyr for this probable NS + NS binary. (5)
GRO J1655-40	1996, IAU Circ. 6393. (1x) Bright emission. 1996, IAU Circ. 6406. (1o, 1u) Brightening during X-ray flare. 1996, IAU Circ. 6410. (1r) Radio continuum. 1996, IAU Circ. 6411. (1r) 1996, IAU Circ. 6436. (1x) Brightness increase. *Crary, D.J. et al.* (9 authors) 1996, ApJ 463, L79. (1x)
PSR 1718-19	*Ergma, E., Sarna, M.J., Giersz, M.* 1996, A&A 307, 768. (5) Evolutionary scenarios for EB with NS.
GRS 1730-312	*Vargas, M. et al.* (16 authors) 1996, A&A 313, 828. (1bx, 3b) New X-ray source in the galactic bulge.
MXB 1730-335 (*Rapid Burster*)	1996, IAU Circ. 6409. (1x) Burst. *Lewin, W.H.G. et al.* (5 authors) 1996, ApJ 462, L39. (1x, 2d) Comparison of the *Rapid Burster* and GRO J1744-28, two LMXBs.

KS 1731-260	1996, IAU Circ. 6437. (1x) Burst.
SLX 1735-269	*Goldwurm, A. et al.* (16 authors) 1996, A&A 310, 857. (1gx)
4U 1735-444	1996, IAU Circ. 6447. (1x) Quasi-periodic oscillations.
GRO J1739-278	1996, IAU Circ. 6348. (1x, 3b) 1996, IAU Circ. 6350. (1a, 3c) 1996, IAU Circ. 6426. (1x) 1996, IAU Circ. 6350. (1x) 1996, IAU Circ. 6383. (1r) 1996, IAU Circ. 6490. (1x)
A 1742-289	*Maeda, Y., et al.* (5 authors) 1996, PASJ 48, 417. (1x) ASCA; a new eclipsing X-ray burster near the Galactic center.
GRO J1744-28	1996, IAU Circ. 6343. (1x) 1996, IAU Circ. 6350. (1x) 1996, IAU Circ. 6353. (3c) Search for counterpart. 1996, IAU Circ. 6368. (3c) 1996, IAU Circ. 6369. (1x, 3c) LMXB. 1996, IAU Circ. 6371. (1gx) 1996, IAU Circ. 6375. (3b) 1996, IAU Circ. 6376. (7b) 1996, IAU Circ. 6385. (1x) 1996, IAU Circ. 6399. (1x) 1996, IAU Circ. 6395. (1g) No more bursts. 1996, IAU Circ. 6411. (1r) 1996, IAU Circ. 6414. (1x) 1996, IAU Circ. 6415. (1x) *Cannizo, J.K.* 1996, ApJ 466, L31. Bursting pulsar. (1x) *Finger, M.H. et al.* (6 authors) 1996, Nature 381, 291. (1x) Hard X-ray pulsations from transient source. *Lewin, W.H.G. et al.* (5 authors) 1996, ApJ 462, L39. (1x, 2d) Comparison of the *Rapid Burster* (MXB 1730-355) and GRO J1744-28, two LMXBs. *Strickman, M.S. et al.* 1996, ApJ 464, L131. OSSE observations. (1x) *Sturner, S.J., Dermer, C.D.* 1996, ApJ 465, L31. Bursting pulsar modeled as NS with low-mass stellar companion. (1x, 2a)
1H1752+081 (V2301 Oph)	*Barwig, H.* 1996, SuW 35, 629. (1abo, 2abg) High-speed photometry, analysis of eclipse light curves and spectra of AM Her-type system.
AX 1845.0-0433	*Coe, M.J. et al.* (5 authors) 1996, MNRAS 281, 333. (1aboi, 3c)
PSR 1855+09	*Goldman, I., Kustanovich, T.* 1996, ApJ 460, 390. (2c, 5) Limits on long-range scalar and vector fields from binary pulsars.
PSR 1913+16	*Sivaram, C.* 1995, Bull. Astron. Soc. India 23, 77. The Hulse-Taylor binary pulsar PSR 1913+16.
GRS 1915+105	1996, IAU Circ. 6392. (1x) BH candidate. 1996, IAU Circ. 6404. (1x) 1996, IAU Circ. 6411. (1x) Burst. 1996, IAU Circ. 6432. (1r) Radio outburst. 1996, IAU Circ. 6435. (1x) Quasi-periodic oscillations. 1996, IAU Circ. 6436. (1x) Outburst. 1996, IAU Circ. 6455. (1r) 1996, IAU Circ. 6459. (1x) High flare.

	Castro-Tirado, A.J., Geballe, T.R., Lund, N. 1996, ApJ 461, L99. (1bi) K-band spectroscopy of LMXB.
	Chaty, S. et al. (5 authors) 1996, A&A 310, 825. (1ir, 2g)
RX J1957.1-5738	*Thomas, H.-C. et al.* (4 authors) 1996, A&A 313, 833. (1abox, 2cg, 3c) Optical counterpart of X-ray polar.
GS 2000+25	*Harlaftis, E.T., Horne, K., Filippenko, A.V.* 1996, PASP 108, 762. (1ab, 2ab)
RX J2022.6-3954	*Burwitz, V. et al.* (4 authors) 1996, AG Abstr. Ser. 12, 44. (1abox, 2cg) Short period polar.
EXO 2030+375	1996, IAU Circ. 6413. (1g) Burst.
	1996, IAU Circ. 6404. (1x)
	Reynolds, A.P. et al. (7 authors) 1996, A&A 312, 872. (1x, 2g)
J2051-0827	*Stappers, B.W. et al.* (9 authors) 1996, ApJ 465, L119. Discovery of EB pulsar with 2.38 hr period, 0.03 solar mass companion. (1r, 2e)
1E 2259+586	*Baykal, A., Swank, J.* 1996, ApJ 460, 470. (1x) Changes in pulse frequency favor a binary model.
AX J2315-592	*Thomas, H.-C.* 1996, AG Abstr. Ser. 12, 186. (1ab, 2ac)

Galactic objects with other designations

Anonymous	*Kaluzny, J., Krzeminski, W., Mazur, B.* 1996, A&AS 118, 303. (1a, 2c, 3b) Two new W UMa and three detached binaries in the field of NGC 2243.
Anonymous	*Nordström, B., Andersen, J., Andersen, M.I.* 1996, A&AS 118, 407. (1b, 3b) Several new SBs in the field of NGC 3680.
CAL 83	1996, IAU Circ. 6432. (1x)
	1996, IAU Circ. 6467. (1x) End of off-state, limits on WD mass.
GSC 1008.1752	*Antipin, S.V.* 1996, IBVS 4345. (3bd)
GSC 3273.0761	*Vidal-Sainz, J., Gomez-Forrellad, J.M. Garcia-Melendo, E.* 1996, IBVS 4324. (1af, 2c, 3d) New overcontact CB.
GSC 4767.894	*Wolf, M., Šarounová, L.* 1996, IBVS 4333. (1af, 2c, 3d) New W Uma-type EB.
GX 301-2	*Saraswat, P. et al.* (12 authors) 1996, ApJ 463, 726. ASCA light curves of X-ray binary. (1abx)
IC 4996 (V2)	*Pietrzynski, G.* 1996, Acta Astron. 46, 349. (1ao, 2c, 3bd)
Lalande 21185	*Walker, G.A.H.* 1996, Nature 382, 23. Astrometric detection of another planet.
MWC 560	*Zhekov, S.A. et al.* (4 authors) 1996, A&A 309, 800. (1abi, 2e)
NGC 654 (v1, v2)	*Pietrzynski, G.* 1996, Acta Astron. 46, 287. (1ao, 2c)
NGC 663 (v1, v2)	*Pietrzynski, G.* 1996, Acta Astron. 46, 357. (1ao, 2c, 3bd)
NSV 07457	*Nomen-Torres, J., Garcia-Melendo, E.* 1996, IBVS 4365. (1a, 2ac) Star is not Cepheid, but overcontact EB.
NSV 07968	*Gomez-Forrellad, J.M., Garcia-Melendo, E.* 1996, IBVS 4364. (1a, 2ac) Star is not Cepheid, but overcontact EB.
OJ 287	*Lehto, H.J., Valtonen, M.J.* 1996, ApJ 460, 207. (1o, 2cd, 5) Binary BH model of this quasar.

Rapid Burster (MXB 1730-355)	*Asai, K. et al.* (4 authors) 1996, PASJ 48, L27. (1x) ASCA; significant X-ray flux in quiescence. *Lewin, W.H.G. et al.* (5 authors) 1996, ApJ 462, L39. (1x, 2d) Comparison of the *Rapid Burster* and GRO J1744-28, two LMXBs.
SS 433	*Kotani, T., et al.* (4 authors) 1996, PASJ 48, 619. (1x) ASCA; X-ray spectroscopy at precession phase 0.48; modeling of the jet.
SS 2883 (PSR B1259-63)	*Johnston, S. et al.* (7 authors) 1996, MNRAS 279, 1026. (1r, 2g)
WR 146	*Dougherty, S.M. et al.* (5 authors) 1996, MNRAS 280. 963. (1aibor) Colliding-wind binary.
X-Ray transient	1996, IAU Circ. 6444. (3b) Binary X-ray pulsar near SMC X-1.

Extragalactic variables, SN, X-ray sources

Nova 1994 in M100	*Ferrarese, L. et al.* (8 authors) 1996, ApJ 468, L95. Discovery of nova in M100. (1a, 3b)
R4 in SMC	*Zickgraf, F.-J. el al.* (6 authors) 1996, A&A 309, 505. (1ab, 2ab) SB with Be + LBV-type component.
SMC3	*Jordan, S. et al.* (5 authors) 1996, A&A 312, 897. (5) Model of extragalactic symbiotic nova.
SN 1983ab	*Antipin, S.V.* 1996, IBVS 4361. (1a, 3bd) New supernova detected on old plates.
SN 1996c	*Balam, D.D.* 1996, IBVS 4312. (1a, 3d)
X-Ray transient in LMC	1996, IAU Circ. 6419. (3b)

General

Anisova, J. 1996, Ap&SS 238, 223. Dynamical evolution of triple systems with big differences in the mass of the bodies. A criterion for stability.

Armitage, P.J., Clarke, C.J. 1996, MNRAS 280, 458. Magnetic braking of T Tauri stars.

Artymowicz, P., Lubow, S.H. 1996, ApJ 467, L77. Mass flow through gaps in circumbinary disks.

Bacon, D., Sigurdsson, S., Davies, M.B. 1996, MNRAS 281, 830. Close approach during hard binary-binary scattering.

Balbus, S.A., Hawley, J.F. 1996, ApJ 467, 76. Nonlinear stability, hydrodynamical turbulence, and transport in disks.

Barrado y Navascués, D., Stauffer, J.R. 1996, A&A 310, 879. Lithium abundance in binaries of the Hyades open cluster.

Barrett, P. 1996, PASP 108, 404. Distances to CVs by linear polarimetry.

Beckwith, S.V.W., Sargent, A.I. 1996, Nature 383, 139. Circumstellar disks and the search for neighbouring planetary systems.

Beskin, G.M., Borisov, N.V., Pustilnik, N.A. 1996, Ap&SS 238, 141. On estimates of lower and upper limits for the masses of compact components in CBs.

Bjornsson, G. et al. (4 authors) 1996, ApJ 467, 99. Hot ADs revisited.

Boss, A.P. 1996, ApJ 468, 231. Collapse and fragmentation of molecular cloud cores. IV. Oblate clouds and small cluster formation.

Brandenburg A. 1996, ApJ 465, L115. Testing Cowling's antidynamo theorem near a rotating BH.

Brandner, W. 1996, AG Abstr. Ser. 12, 22. Physical properties of 90 AU to 250 AU pre-main-sequence binaries.

Brown, G.E., Weingartner, J.C., Wijers, R.A.M.J. 1996, ApJ 463, 297. On the formation of low-mass BHs in massive binary systems.

Budaj, J. 1996, A&A 313, 523. On the nature of the Am phenomenon or on a stabilization and the tidal mixing in binaries.

Budding, E. et al. (6 authors) 1996, Ap&SS 236, 215. Basic stellar parameters determination for cool EBs.

Chen, X., Taam, R.E. 1996, ApJ 466, 404. The spectral states of BH X-ray binary sources.

Cheng, B. et al. (4 authors) 1996, Nature 382, 518. Earthquake-like behaviour of soft γ-ray repeaters; *"tectonic"* activity in NS crust.

Côté, P., Fischer, P. 1996, AJ 112, 565. Search for main-sequence binaries in M4.

Côté, P. et al. (5 authors) 1996, AJ 112, 574. Search for long-period binaries in M22.

Diaz, M.P., Bruch, A. 1996, AG Abstr. Ser. 12, 42. The observed and intrinsic orbital period distribution of classical novae.

Donahue, R.A., Saar, S.H., Baliunas, S. 1996, ApJ 466, 384. A relationship between mean rotation period in lower main-sequence stars and its observed range.

Eaton, J.A., Henry, G.W., Fekel, F.C. 1996, ApJ 462, 888. Random spots on chromospherically active stars.

Ergma, E., Sarna, M.J. 1996, MNRAS 280, 1000. An evolutionary scenario for short-period millisecond binary pulsars.

Eskridge, P.B., White III, R.E., Davis, D.S. 1996, ApJ 463, L59. X-ray emission from M32: X-Ray binaries or a micro-AGN?

Fischer, A. et al. (4 authors) 1996, AG Abstr. Ser. 12, 187. Radiation hydrodynamics and soft X-ray emission of accreting magnetic WDs.

Friedemann, C., Gürtler, J., Löwe, M. 1996, A&AS 117, 205. EBs as IRAS sources.

Fritz, T., Bruch, A. 1996, AG Abstr. Ser. 12, 41. Statistical analysis of the flickering in CVs using wavelet transformation.

Gänsicke, B.T., Beuermann, K. 1996, AG Abstr. Ser. 12, 32. Accretion-heated magnetic WDs.

Garlick, M.A. 1996, MNRAS 279, 940. Simulating the emission line RV modulation in diskless intermediate polars.

Gaskell, C.M. 1996, ApJ 464, L107. Evidence for binary orbital motion of a quasar broad-line region.

Geffert, M., Aurière, M., Koch-Miramond, L. 1996, AG Abstr. Ser. 12, 193. Possible identification of X-ray sources in 47 Tuc.

Geppert, U., Urpin, V., Konenkov, D. 1996, A&A 307, 807. Wind accretion and magnetorotational evolution of NSs in binaries.

Haberl, F. 1996, SuW 35, 542. Stellare Winde in massereichen Röntgen-Doppelsternsystemen (HMXBs).

Hartman, L., Calvet, N., Boss, A. 1996, ApJ 464, 387. Sheet models of protostellar collapse.

Hauschildt, P.H. et al. (4 authors) 1996, ApJ 462, 386. The effects of Fe II non-LTE on nova atmospheres and spectra.

Hazlehurst, J. 1996, A&A 313, 487. On a temperature-regulation mechanism for contact binaries.

Heacox, W.D. 1996, PASP 108, 591. Logarithms, binary orbits and self-replicating distributions.

Heggie, D.C., Hut, P., McMillan, S.L.W. 1996, ApJ 467, 359. Binary-single star scattering. VII. Hard binary exchange cross sections for arbitrary mass ratios: numerical results and semianalytical fits.

Hernanz, M. (4 authors) 1996, ApJ 465, L27. On the synthesis of ^{7}Li and ^{7}Be in novae.

Hessman, F.V. 1996, AG Abstr. Ser. 12, 154. Accretion stream sprays in binaries with ADs.

Hünsch, M. et al. (4 authors) 1996, A&A 310, 801. ROSAT X-ray observations of a complete, volume-limited sample of late-type giants (contains some SBs and RS CVn stars).

Iben, I., Tutukov, A.V. 1996, ApJS 105, 145. On the evolution of symbiotic stars and other binaries with accreting degenerate dwarfs.

Idan, I., Shaviv, G. 1996, MNRAS 281, 604. The continuum radiation from ADs and the boundary layer.

Jerzykiewicz, M. et al. (5 authors) 1996, Acta Astron. 46, 253. A CCD search for variable stars of spectral type B in the Northern hemisphere open clusters – I. NGC 7128 (discovery of two EBs).

Kahabka, P., Pietsch, W. 1996, A&A 312, 919. X-ray binary systems in the SMC.

Katz, J.I. 1996, ApJ 463, 305. The Eddington limit and soft gamma repeaters.

Kim, Y., Beuermann, K. 1996, A&A 307, 824. Spin-modulated radiation of intermediate polars – II. Optical light curves and Hβ line profiles.

King, A.R. 1996, Ap&SS 237, 169. Accretion and evolution in CBs.

King, A.R., Kolb, U., Burderi, L. 1996, ApJ 464, L127. BH binaries and X-ray transients.

King, A.R. et al. (4 authors) 1996, ApJ 467, 761. Global analysis of mass transfer cycles in CVs.

King, A.R. et al. (4 authors) 1996, AG Abstr. Ser. 12, 33. Mass transfer cycles in compact binaries with a giant donor.

Kley, W., Papaloizou, J.C.B. 1996, AG Abstr. Ser. 12, 9. Causal viscosity in AD boundary layers.

Knigge, C., Drew, J.E. 1996, MNRAS 281, 1352. Eclipses of AD winds in CVs: an atlas of theoretical C IV line profiles and line flux light curves.

Köhler, R. 1996, AG Abstr. Ser. 12, 21. Multiplicity of X-ray-selected weak-line T Tauri stars.

Kolb, U., Stehle, R. 1996, AG Abstr. Ser. 12, 43. The age of CVs.

Kopeikin, S.M. 1996, ApJ 467, L93. Proper motion altering orbital parameters.

Kroupka, P. 1996, AG Abstr. Ser. 12, 10. Binary rich birth aggregates: the dominant mode of star formation?

Kudoh, T., Kaburaki, O. 1996, ApJ 460, 199. Resistive magnetohydrodynamic disks around BHs.

Kumar, P., Goodman, J. 1996, ApJ 466, 946. Nonlinear damping of oscillations in tidal-capture binaries.

Kunze, S. et al. (4 authors) 1996, AG Abstr. Ser. 12, 37. Reproducing superhumps of SU UMa stars.

Kuulkers, E., Howell, S.B., van Paradijs, J. 1996, ApJ 462, L87. SXTs and TOADs: close encounters of the same kind.

Larwood, J.D. et al. (4 authors) 1996, MNRAS 282, 597. The tidally induced warping, precession and truncation of ADs in binary systems: three-dimensional simulations.

Levinson, A., Mattox, J.R. 1996, ApJ 462, L67. EGRET upper limits on the high-energy gamma-ray emission of X-ray novae.

Li, X., Wang, Z. 1996, A&A 311, 911. NS evolution in LMXBs.

Lin, D.N.C., Papaloizou, J.C.B. 1996, ARA&A 34, 703. Theory of ADs – II: Application to observed systems.

Lipunov, V.M., Panchenko, I.E. 1996, A&A 312, 937. Pulsars revived by gravitational waves.

Lipunov, V.M., Postnov, K.A., Prokhorov, M.E. 1996, A&A 310, 489. The Scenario Machine: restrictions on key parameters of binary evolution (Monte Carlo simulations).

Liu, B., Meyer, F., Meyer-Hofmeister, E. 1996, AG Abstr. Ser. 12, 189. The evaporation of the AD in dwarf novae during quiescence.

Lombardi, J.C., Rasio, F.A., Shapiro, S.L. 1996, ApJ 468, 797. Collisions of main-sequence stars and the formation of blue stragglers in globular clusters.

Lovelace, R.V.E., Chou, T. 1996, ApJ 468, L25. Counterrotating ADs.

Ludwig, K., Meyer, F. 1996, AG Abstr. Ser. 12, 38. Recent results of time-dependent thermal and viscous diffusion calculations in AD dynamics.

Maceroni, C., van't Veer, F. 1996, A&A 311, 523. The properties of W UMa contact binaries: new results and old problems.

Manmoto, T. et al. (5 authors) 1996, ApJ 464, L135. X-ray fluctuations from locally unstable advection-dominated disks.

Marchi, G.D., Paresce, F. 1996, ApJ 467, 658. Very blue stars and mass segregation in the core of M15.

Maxted, P.F.L., Hilditch, R.W. 1996, A&A 311, 567. A comparison of accurate absolute parameters of Algol systems with recent evolutionary models.

Mazeh, T., Latham, D.W., Stefanik, R.P. 1996, ApJ 466, 415. Spectroscopic orbits for three binaries with low-mass companions and the distribution of secondary masses near the substellar limit.

McMillan, S.L., Hut, P. 1996, ApJ 467, 348. Binary-single star scattering. VI. Automatic determination of interaction cross sections.

Melo, C.H.F., De Medeiros, J.R. 1996, A&A 310, 797. On the link between coronal activity and orbital period in evolved binary stars.

Mermilliod, J.C. et al. (4 authors) 1996, A&A 307, 80. Red giants in open clusters – V. NGC 2099.

Meyer-Hofmeister, E., Vogt, N., Meyer, F. 1996, A&A 310, 519. The influence of a magnetic field of the secondary star on dwarf nova outbursts.

Montes, D. et al. (4 authors) 1996, A&A 312, 221. The behaviour of the excess Ca II H and K and Hϵ emissions in chromospherically active binaries.

Morley, P.D. 1996, A&A 313, 204. Pulsar glitches, ROSAT data and mass accretion.

Motch, C. et al. (6 authors) 1996, A&A 307, 459. New CVs from the ROSAT All-Sky Survey.

Mürset, U., Schild, H., Vogel, M. 1996, A&A 307, 516. Extragalactic symbiotic systems – III. The stellar components of the systems in the Magellanic Clouds.

Murray, N., Chiang, J. 1996, Nature 382, 189. Wind-dominated optical line emission from ADs in CV stars.

Muslimov, A., Sarna, M.J. 1995, ApJ 448, 289. (5) Discrete mass loss in a low-mass binary with a rapidly spinning NS.

Muslimov, A., Sarna, M.J. 1996, ApJ 464, 867. Low-mass binaries and stellar dynamos.

Narayan, R. 1996, ApJ 462, 136. Advection-dominated models of luminous accreting BHs.

Nishida, S., Eriguchi, Y. 1996, ApJ 461, 320. Runaway instability of BH - neutron torus systems.

Norton, A.J., Beardmore, A.P., Taylor, P. 1996, MNRAS 280, 937. On the interpretation of intermediate polar X-ray power spectra.

Nussbaumer, H. 1996, Ap&SS 237, 125. Symbiotic stars with WR spectra as protoplanetary nebulae?

Orlov, V.V., Petrova, A.V. 1996, MNRAS 281, 384. The effect of tidal friction on the stability of triple systems (containing a CB).

Orlov, V.V., Pertrova, A.V., Ivanova, N.S. 1996, MNRAS 281, 1326. The effect of stellar wind on the stability of triple systems.

Ozel, M.E., Thompson, D.J. 1996, ApJ 463, 105. On the nature of unidentified 2EG sources at high latitudes.

Podsiadlowski, P. 1996, MNRAS 279, 1104. The response of tidally heated stars.

Politano, M. 1996, ApJ 465, 338. Theoretical statistics of zero-age CVs.

Portegies Zwart, S.F., Verbunt, F. 1996, A&A 309, 179. Population synthesis of high-mass binaries.

Pringle, J.E. 1996, MNRAS 281, 357. Self-induced warping of ADs. (Application to disks in binary X-ray sources.)

Quataert, E.J., Kumar, P., Ao, C.O. 1996, ApJ 463, 284. On the validity of the classical apsidal motion formula for tidal distortion.

Reig, P. 1996, PASP 108, 639. Models and astrophysical parameters of HMXBs.(7a)

Richman, H.R. 1996, ApJ 462, 404. X-ray spectra of CVs from ROSAT.

Ross, R.R., Fabian, A.C. 1996, MNRAS 281, 637. The spectra of ADs in LMXBs.

Ruffert, M. 1996, A&A 311, 817. Three-dimensional hydrodynamic Bondi-Hoyle accretion. – V. Specific heat ratio 1.01, nearly isothermal flow.

Ryu, D., Goodman, J., Vishniac, E.T. 1996, ApJ 461, 805. Global aspects of elliptical instability in tidally-distorted ADs.

Sayer, R.W., Nice, D.J., Kaspi, V.M. 1996, ApJ 461, 357. A search for pulsar companions to OB runaway stars.

Schandl, S., Meyer-Hofmeister, E., Meyer, F. 1996, AG Abstr. Ser. 12, 39. The structure of AD rims in supersoft X-ray sources.

Schmid, H.M. 1996, MNRAS 282, 511. Simulations of the Raman-scattered O VI emission lines in symbiotic stars.

Schramkowski, G.P., Torkelsson, U. 1996, A&A Rev. 7, 55. Magneto-hydrodynamic instabilities and turbulence in ADs.

Schröder, K.-P., Eggleton, P.P. 1996, Rev. Mod. Astron. 9, 221. Calibrating late stellar evolution by means of ζ Aur systems.

Schultz, G., Zuckerman, B., Becklin, E.E. 1996, ApJ 460, 402. Orbital separations of WD - red dwarf binaries.

Schwarzenberg-Czerny, A. 1996, ApJ 460, L107. Fast and statistically optimal period search in uneven sampled observations.

Serna, A., Alimi, J.-M., Chieze, J.-P. 1996, ApJ 461, 884. Adaptive smooth particle hydrodynamics and particle-particle coupled codes: energy and entropy conservation.

Serra-Ricart, M. et al. (4 authors) 1996, ApJ 462, 221. A new method based on artificial neural network techniques for determining the fraction of binaries in star clusters.

Shaw, J.S., Caillaut, J.-P., Schmitt, J.H.M.M. 1996, ApJ 461, 951. Near-contact binary systems in the ROSAT All-sky Survey.

Singh, K.P., Drake, S.A., White, N.E. 1996, AJ 111, 2415. Comparison of X-ray emission from RS CVns and Algols.

Sivaram, C. 1995, Bull. Astron. Soc. India 23, 77. The Hulse-Taylor binary pulsar PSR 1913+16.

Sonego, S., Lanza, A. 1996, MNRAS 279, L65. Relativistic perihelion advance as a centrifugal effect.

Spurzem, R., Giersz, M. 1996, AG Abstr. Ser. 12, 141. Stochastic binaries in continuum models of globular clusters.

Stanke, T., Zinnecker, H. 1996, AG Abstr. Ser. 12, 27. 10μm imaging of pre-main-sequence binaries.

Stehle, R. 1996, AG Abstr. Ser. 12, 34. The tidal evolution of ADs in CBs.

Sterzik, M.F. 1996, AG Abstr. Ser. 12, 23. Dynamical decay of young five-body clusters.

Stone, J.M. et al. (4 authors) 1996, ApJ 463, 656. Three-dimensional magnetohydrodynamical simulations of vertically stratified ADs.

Szabados, L. 1996, A&A 311, 189. New SBs among classical Cepheids.

Tanaka, Y., Shibazaki, N. 1996, Ann. Rev. A&A 34, 607. X-ray novae.

Tassoul, J.-L., Tassoul, M. 1996, Fund. Cosmic Phys. 16, 377. On synchronization and orbital circularization in detached CBs.

Terman, J.L., Taam, R.E., Savage, C.O. 1996, MNRAS 281, 552. A population synthesis study of LMXB systems.

Theuns, T., Boffin, H.M.J., Jorissen, A. 1996, MNRAS 280, 1264. Wind accretion in binary stars – II. Accretion rates.

Trimble, V. 1996, Comments on Ap. 18, 223. Binaries with NS or BH components and related systems.

Tutukov, A., Yungelson, L. 1996, MNRAS 280, 1035. Double-degenerate semi-detached binaries with helium secondaries: CVs, supersoft X-ray sources, supernovae, and accretion- induced collapses.

van Paradijs, J. 1996, ApJ 464, L139. On the accretion instability in soft X-ray transients.

van Paradijs, J., Augusteijn, T., Stehle, R. 1996, A&A 312, 93. The systemic-velocity distribution of CVs.

van Teeseling, A., Kaastra, J.S., Heise, J. 1996, A&A 312, 186. Iron K fluorescence and Compton reflection in magnetic CVs.

Vishniac, E.T., Zhang, C. 1996, ApJ 461, 307. The growth rate of tidally excited waves in ADs.

Wang, Y.-M. 1996, ApJ 465, L111. Location of the inner radius of a magnetically threaded AD.

Collections of data

Agerer, F., Hübscher, J. 1996, IBVS 4382. (1f): KP Aql, OO Aql, V337 Aql, V343 Aql, V688 Aql, V1096 Aql, V1353 Aql, AR Aur, IM Aur, KO Aur, MN Aur, XY Aur, AC Boo, TU Cam, AW Cam, BI CVn, BO CVn, BH CMi,GT Cas, OX Cas, V344 Cas, AH Cep, CW Cep, EF Cep, EM Cep, RW CrB, TX Her, AK Her, SW Lac, V364 Lac, V501 Oph, V506 Oph, V508 Oph, V839 Oph, CP Ori, ER Ori, U Peg, BB Peg, BN Peg, BO Peg, DI Peg, GH Peg, HW Vir.

Agerer, F., Hübscher, J. 1996, IBVS 4383. (1f): V417 Aql, V609 Aql, AH Aur, AP Aur, GX Aur, TY Boo, TZ Boo, VW Boo, FF Cnc, V445 Cas, WW Cep, SS Com, UX Com, CC Com, DK Cyg, GO Cyg, V366 Cyg, V382 Cyg, V478 Cyg, V885 Cyg, V909 Cyg, V1061 Cyg, V1191 Cyg, V2021 Cyg, TT Del, TY Del, YY Del, EX Del, FZ Del, GG Del, BX Dra, CV Dra, EF Dra, UX Eri, YY Eri, BL Eri, BV Eri, UX Her, CT Her, HS Her, PW Her, AV Hya, FG Hya, EM Lac, UZ Leo, VZ Leo, XY Leo, XZ Leo, AG Leo, AL Leo, AP Leo, RT LMi, V404 Lyr, V406 Lyr, AQ Mon, NS Mon, V532 Mon, BP Per, IM Per, V450 Per, V482 Per, VZ Psc, CU Sge, CW Sge, RS Sct, CC Ser, GR Tau, UY UMa, AX Vir, AZ Vir, BK Vul.

Antipin, S.V. 1996, IBVS 4342. (3bd): GSC 2585.2215, GSC 2584.0550, GSC 3074.0305.

Antipin, S.V. 1996, IBVS 4360. (1f, 3bd): GSC 3079.0201, GSC 3072.0441, GSC 3076.0951.

Edmonds, P.D. et al. (6 authors) 1996, ApJ 468, 241. (1a, 2a, 3b): Discovery of eight EBs in the core of 47 Tuc.

Häfner, R., Fiedler, A., Rau, S. 1996, IBVS 4366. (1a) Suspected CVs: PG0240+066, PG0248+054, PG0947+036, NSV 00870, NSV 02853, NSV 03775, NSV 04498, NSV 04884 = V411 Car = N Car 1953.

Hegedüs, T. et al. (4 authors) 1996, IBVS 4340. (1f): XZ And, V889 Aql, SS Ari, AS Cam, RZ Cas, TV Cas, TW Cas, VW Cep, XX Cep, EK Cep, GK Cep, CG Cyg, MR Cyg, V836 Cyg, V1143 Cyg, TZ Dra, RW Gem, AK Her, CC Her, DI Her, HS Her, AR Lac, UV Leo, FT Ori, U Peg, AG Per, IQ Per, b Per, TX Uma.

Manchester, R.N. et al. (9 authors) 1996, MNRAS 279, 1235. (3b, 2a) The Parkes Southern Pulsar Survey - I. Observing and data analysis systems and initial results (contains some binary pulsars).

McGale, P.A., Pye, J.P., Hodgkin, S.T. 1996, MNRAS 280, 627. (1x) ROSAT PSPC X-ray spectral survey of W UMa systems (spectral fits for 8 systems).

Müyesseroglu, Z., Gürol, B., Selam, S.O. 1996, IBVS 4380. (1f): RT And, XZ And, SS Ari, CK Boo, KR Cyg, V1073 Cyg, RX Her, TX Her, HS Her, FG Hya, SW Lac, UV Leo, XY Leo, V451 Oph, BB Peg, DI Peg, RT Per, IQ Per, AQ Psc, V505 Sgr, W UMa, TX UMa, AW UMa, HW Vir.

O'Neal, D, Saar, S.H., Neff, J.E. 1996, ApJ 463, 766. (1b) Measurements of starspot areas and temperatures of five active evolved stars.

Penny, L.R. 1996, ApJ 463, 737. (1u, 3b) Ten potential double-lined O-type binaries discovered.

Popper, D.P. 1996, ApJS 106, 133. (1b, 2ab) Spectroscopy of 76 late-type detached EBs.

Ringwald, F.A., Naylor, T., Mukai, K. 1996, MNRAS 281, 192. (1bo) The optical spectra of old novae.

Saha, A. et al. 1996, ApJ 466, 55. (1a) Several EBs discovered in study of cepheids in NGC 4536.

Schachter, J.F. et al. (6 authors) 1996, ApJ 463, 747. (1box, 3c) CVs, RS CVn, and other binaries are optical counterparts of X-ray sources from Einstein Slew Survey.

Udalski, A. et al. (8 authors) 1996, Acta Astron. 46, 51. (3abd) 348 new EBs in the Galactic bulge detected during OGLE microlensing search.

Yan, L., Reid, I.N. 1996, MNRAS 279, 751. (3b) Discovery of six short- period EBs in the globular cluster M5.

Proceedings of Conferences, Symposia, and Monographs

Cosmic abundances
Holt, S.S., Sonneborn, G. (eds.)
1996, ASP Conf. Ser. Vol. 99
(contains article on nucleosynthesis and nova outburst).

Multifrequency behaviour of high energy cosmic sources
Giovannelli, F. and Sabau-Graziati, I. (eds.)
1996, Mem. Soc. Astron. Ital. Vol. 66
(contains 16 papers related to CBs).

Radio emission from the stars and the Sun
Taylor, A.R., Paredes, J.M. (eds.)
1996, ASP Conf. Ser. Vol. 93
(contains sections on CVs and X-ray binaries).

Stellar surface structure
Strassmeier, K.G., Linsky, J.L. (eds.)
1996, IAU Symp. No. 176
(contains information on CBs).

The origins, evolution, and destinies of binary stars in clusters
Milone, E.F., Mermilliod, J.-C. (eds.)
1996, ASP Conf. Ser. Vol 90.

IAU Commission 42

BIBLIOGRAPHY AND PROGRAM NOTES ON CLOSE BINARIES

No. 63, December 1996

Editor-in-Chief: Horst Drechsel

Dr. Remeis Observatory Bamberg
Astronomical Institute University Erlangen-Nürnberg
Sternwartstraße 7, D-96049 Bamberg, Germany

Phone: +49 951 95222-15
Fax: +49 951 95222-22
drechsel@sternwarte.uni-erlangen.de